UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/551,470	09/30/2005	Naruo Hashino	334559.00012	4399
	7590	EXAMINER		
(C/O PATENT ADMINISTRATOR)			BRIGGS, NATHANAEL R	
2900 K STREET NW, SUITE 200 WASHINGTON, DC 20007-5118			ART UNIT	PAPER NUMBER
			2871	
			MAIL DATE	DELIVERY MODE
			09/05/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/551,470	HASHINO ET AL.			
Office Action Summary	Examiner	Art Unit			
	NATHANAEL R. BRIGGS	2871			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>30 Security</u> This action is FINAL . 2b) ☑ This Since this application is in condition for allowar closed in accordance with the practice under Expression in the practice of the pra	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-7 is/are pending in the application. 4a) Of the above claim(s) is/are withdrav 5) Claim(s) is/are allowed. 6) Claim(s) 1-7 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on 30 September 2005 is/a Applicant may not request that any objection to the ore Replacement drawing sheet(s) including the correction.	r election requirement. r. are: a)⊠ accepted or b)⊡ objec drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 9/30/05; 4/19/07.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte			

Application/Control Number: 10/551,470 Page 2

Art Unit: 2871

DETAILED ACTION

Specification

1. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Objections

2. Claim 1 is objected to because of the following informalities: There is no antecedent basis for "the members" (line 7), and it is unclear what constitutes "the members". Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. It is unclear what the scope of the phrase, "fixed in a high-deck manner", entails. For the purposes of examination, the phrase is interpreted to include an item being attached from a top-side to a member above the item.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States

Application/Control Number: 10/551,470 Page 3

Art Unit: 2871

only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

- 6. Claims 1-7 are rejected under 35 U.S.C. 102(e) as being anticipated by Ito (US 6,910,784).
- 7. Regarding claim 1, Ito discloses a LCD device (see figure 1 and 2, for instance) having a liquid crystal panel (10) and an illumination unit for illuminating the said LCD panel, wherein the said illumination unit includes a substantially wedge-shaped light-guiding plate (1) having a backside being inclined so as to be formed thinner from one side edge to the other side edge, a linear light source (3) disposed along a thicker plate surface at one side edge of the said light-guiding plate (1), lead wires (4) severally connected to both ends of the said linear light source, and a housing (7) that houses the members, and a groove (14) is formed on the bottom wall of the housing (7) such that a gap is created between the backside of the light-guiding plate (1) and the bottom wall at a certain area portion of the light-guiding plate wherein the plate is the least thick, with a part of the lead wires (4) residing in the gap and being arranged along the other side edge of the light-guiding plate (1), and made to extend to the outside from the backside of the housing (7). Claim 1 is therefore unpatentable.
- 8. Regarding claim 2, Ito discloses a LCD device according to claim 1 (see figure 1 and 2, for instance), wherein a portion of the said lead wires is housed in a groove formed on the bottom wall of the said housing, and the wires are led out to the outside through the said groove. Claim 2 is therefore unpatentable.
- 9. Regarding claim 3, Ito discloses a LCD device according to claim 1 (see figure 1 and 2, for instance), wherein a reflector (5) is disposed on the backside of the said light-

Application/Control Number: 10/551,470

Art Unit: 2871

guiding plate, having a bent portion where one end of the reflector is bent to be shaped substantially in the form of a horseshoe, and the said linear light source and the thicker end edge of the said light-guiding plate are inserted in the said bent portion. Claim 3 is therefore unpatentable.

Page 4

- 10. Regarding claim 4, Ito discloses a LCD device according to claim 1 (see figure 1 and 2, for instance), wherein a circuit board, on which a circuit element for driving the said LCD panel and a connector are mounted, is attached on the backside of the said housing to lie parallel with the said LCD panel. Claim 4 is therefore unpatentable.
- 11. Regarding claim 5, Ito discloses a LCD device according to claim 4 (see figure 1 and 2, for instance), wherein a guide member for guiding a main body side connector to the said connector for connection is formed on the backside of the said housing. Claim 5 is therefore unpatentable.
- 12. Regarding claim 6, Ito discloses a LCD device according to claim 4 (see figure 1 and 2, for instance), wherein the said circuit board is fixed in a high-deck manner, and the said guide member has an inclined plane extending toward one side facing the longer side of the said connection port. Claim 6 is therefore unpatentable.
- 13. Regarding claim 7, Ito discloses a LCD device according to claim 5 (see figure 1 and 2, for instance), wherein the said guide member is made of resin, and formed integrally to the said housing. Claim 7 is therefore unpatentable.
- 14. Claims 1-7 are rejected under 35 U.S.C. 102(e) as being anticipated by Ishida et al. (US 2002/0149713).

Application/Control Number: 10/551,470

Art Unit: 2871

Page 5

- 15. Regarding claim 1, Ishida discloses a LCD device (see figure 4 and 5, for instance) having a liquid crystal panel (2) and an illumination unit (7) for illuminating the said LCD panel, wherein the said illumination unit includes a substantially wedge-shaped light-guiding plate (20) having a backside being inclined so as to be formed thinner from one side edge to the other side edge, a linear light source (7) disposed along a thicker plate surface at one side edge of the said light-guiding plate (20), lead wires (9) severally connected to both ends of the said linear light source (7), and a housing (16) that houses the members, and a groove (for wire 9) is formed on the bottom wall of the housing (16) such that a gap is created between the backside of the light-guiding plate (20) and the bottom wall at a certain area portion of the light-guiding plate wherein the plate is the least thick, with a part of the lead wires (9) residing in the gap and being arranged along the other side edge of the light-guiding plate (20), and made to extend to the outside from the backside of the housing. Claim 1 is therefore unpatentable.
- 16. Regarding claim 2, Ishida discloses the LCD device according to claim 1 (see figure 4 and 5, for instance), wherein a portion of the said lead wires (9) is housed in a groove formed on the bottom wall of the said housing (16), and the wires are led out to the outside through the said groove. Claim 2 is therefore unpatentable.
- 17. Regarding claim 3, Ishida discloses the LCD device according to claim 1 (see figure 4 and 5, for instance), wherein a reflector (10) is disposed on the backside of the said light-guiding plate (20), having a bent portion where one end of the reflector is bent to be shaped substantially in the form of a horseshoe (side reflector 4), and the said

Application/Control Number: 10/551,470

Art Unit: 2871

linear light source and the thicker end edge of the said light-guiding plate are inserted in the said bent portion. Claim 3 is therefore unpatentable.

Page 6

- 18. Regarding claim 4, Ishida discloses the LCD device according to claim 1 (see figure 4 and 5, for instance), wherein a circuit board, on which a circuit element for driving the said LCD panel and a connector are mounted, is attached on the backside of the said housing to lie parallel with the said LCD panel. Claim 4 is therefore unpatentable.
- 19. Regarding claim 5, Ishida discloses the LCD device according to claim 4 (see figure 4 and 5, for instance), wherein a guide member for guiding a main body side connector to the said connector for connection is formed on the backside of the said housing. Claim 5 is therefore unpatentable.
- 20. Regarding claim 6, Ishida discloses the LCD device according to claim 4 (see figure 4 and 5, for instance), wherein the said circuit board is fixed in a high-deck manner, and the said guide member has an inclined plane extending toward one side facing the longer side of the said connection port. Claim 6 is therefore unpatentable.
- 21. Regarding claim 7, Ishida discloses the LCD device according to claim 5 (see figure 4 and 5, for instance), wherein the said guide member is made of resin ([0023]; [0041]), and formed integrally to the said housing. Claim 7 is therefore unpatentable.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATHANAEL R. BRIGGS whose telephone number is

Application/Control Number: 10/551,470 Page 7

Art Unit: 2871

(571)272-8992. The examiner can normally be reached on 9 AM - 5:30 PM Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/N. R. B./ Examiner, Art Unit 2871

/Andrew Schechter/
Primary Examiner, Art Unit 2871